

<b>Patient:</b> Patient, Test	<b>Acc #:</b> 2107096
Patient #: MDT2020-147032	Birth: 2/27/1990
Doctor: Test, Provider	Age: 33 years
	Gender: Female
	Collection Date: 6/9/2023 3:02 PM
	Received in Lab: 6/9/2023 3:02 AM
	LAB
	LAB

Test Name	In Range	Out of Range	Flag	Units	Reference Range
<b>CT/NG NAT (FDA)</b>					
<i>Performed with: GEN-PROBE Aptima Combo 2</i>					
Chlamydia trachomatis (NAT)	Negative				Negative
Neisseria gonorrhoea (NAT)	Negative				Negative
<b>HBcAb, Total (FDA) w/ reflex to IgM</b>					
<i>Performed with: Ortho HBc ELISA Test System</i>					
HBcAb, Total (FDA)	Non-reactive				Non-reactive
<b>HBsAg (FDA) w/ reflex to HBV DNA Quant</b>					
<i>Performed with: Bio-Rad Genetic Systems HBsAg EIA 3.0</i>					
HBsAg w/ reflex to HBV DNA Quant	Non-reactive				Non-reactive
<b>HCV Ab (FDA) w/ reflex to HCV RNA Quant</b>					
<i>Performed with: Ortho Test System HCV Version 3.0 ELISA</i>					
HCV Ab w/ reflex to HCV RNA Quant	Non-reactive				Non-reactive
<b>HIV-1/2 Plus O EIA (FDA) w/rfx to HIV-1 RNA Quant</b>					
<i>Performed with: Genetic Systems HIV-1/ HIV-2 Plus O EIA</i>					
HIV-1/2 Plus O EIA (FDA) w/rfx to HIV-1 RNA Quant	Non-reactive				Non-reactive
<b>HIV-1/HCV/HBV Ultrio NAT Discriminatory (FDA)</b>					
<i>Performed with: Procleix Ultrio Assay</i>					
Ultrio Screen (NAT)	Non-reactive				Non-reactive
HIV 1 (NAT)	Non-reactive		(N)		Non-reactive
HCV (NAT)	Non-reactive		(N)		Non-reactive
HBV (NAT)	Non-reactive		(N)		Non-reactive
<b>T. pallidum, IgG (Syphilis) (FDA) w/ reflex to RPR</b>					
<i>Performed with: Captia Syphilis (T. Pallidum)-G</i>					
T. pallidum, IgG (FDA)	Non-reactive		(N)		Non-reactive
<b>West Nile Virus, RNA (FDA)</b>					
<i>Performed with: Procleix WNV Assay</i>					
West Nile Virus, RNA (FDA)	Non-Reactive				Non-reactive

<b>Location 1:</b> Innovative Health Diagnostics 1565-B McGaw Ave., Ste B Irvine, CA 92614
--

Innovative Health Diagnostics is an MD Tox Laboratory Service Line  
1565 McGaw Avenue, Suite B, Irvine, CA 92614  
FDA Registration Number: FEI: 3011213917  
License Laboratory ID No.: CLF 00342268, CLIA Laboratory Certification No.: 05D2040317  
Lab Director: Shih-Jwo Huang, MD, PhD