

Patient: Patient, Test	Acc #: 2107056
Patient #: MDT2020-IHD191561	Birth: 1/1/2000
Doctor: Test, Provider	Age: 23 years
	Gender: Male
	Collection Date: 6/9/2023 1:53 PM
	Received in Lab: 6/9/2023 1:53 PM
	LAB
	LAB
Ethnicity: Prefer Not to State	
Race: Prefer Not to State	
Time Zone: PST – Pacific Standard Time	

Test Name	In Range	Out of Range	Flag	Units	Reference Range
CT/NG NAT (FDA) Run by: LAB on 6/9/2023 1:55 PM					
<i>Performed with: GEN-PROBE Aptima Combo 2</i>					
Chlamydia trachomatis (NAT)	Negative				Negative
Neisseria gonorrhoea (NAT)	Negative				Negative
Cytomegalovirus (CMV), Total (FDA) w/ reflex to IgM/IgG Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Immucor Capture-CMV</i>					
CMV, Total	Negative				Negative
HBcAb, Total (FDA) w/ reflex to IgM Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Ortho HBC ELISA Test System</i>					
HBcAb, Total (FDA)	Non-reactive				Non-reactive
HBsAg (FDA) w/ reflex to HBV DNA Quant Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Bio-Rad Genetic Systems HBsAg EIA 3.0</i>					
HBsAg w/ reflex to HBV DNA Quant	Non-reactive				Non-reactive
HCV Ab (FDA) w/ reflex to HCV RNA Quant Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Ortho Test System HCV Version 3.0 ELISA</i>					
HCV Ab w/ reflex to HCV RNA Quant	Non-reactive				Non-reactive
HIV-1/2 Plus O EIA (FDA) w/rfx to HIV-1 RNA Quant Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Genetic Systems HIV-1/ HIV-2 Plus O EIA</i>					
HIV-1/2 Plus O EIA (FDA) w/rfx to HIV-1 RNA Quant	Non-reactive				Non-reactive
HIV-1/HCV/HBV Ultrio NAT Discriminatory (FDA) Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Procleix Ultrio Assay</i>					
Ultrio Screen (NAT)	Non-reactive				Non-reactive
HIV 1 (NAT)	Non-reactive		(N)		Non-reactive
HCV (NAT)	Non-reactive		(N)		Non-reactive
HBV (NAT)	Non-reactive		(N)		Non-reactive
HTLV I/II Ab (FDA) Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Avioq HTLV I/II Microelisa System</i>					
HTLV, I/II (FDA)	Non-reactive				Non-reactive
T. pallidum, IgG (Syphilis) (FDA) w/ reflex to RPR Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Captia Syphilis (T. Pallidum)-G</i>					
T. pallidum, IgG (FDA)	Non-reactive		(N)		Non-reactive
West Nile Virus, RNA (FDA) Run by: LAB on 6/9/2023 1:57 PM					
<i>Performed with: Procleix WNV Assay</i>					
West Nile Virus, RNA (FDA)	Non-Reactive				Non-reactive

Innovative Health Diagnostics is an MD Tox Laboratory Service Line
1565 McGaw Avenue, Suite B, Irvine, CA 92614
FDA Registration Number: FEI: 3011213917
License Laboratory ID No.: CLF 00342268, CLIA Laboratory Certification No.: 05D2040304
Lab Director: Shih-Jwo Huang, MD, PhD